

Technical Information

The Delkor 60038 is a DIN88H size sealed maintenance free starting battery. The superior construction qualities include the latest PowerFrame plate grid technology for significant improvements in durability and performance, vibration resistance and extremely high cranking power. The unrivalled quality of Delkor has seen their Korean manufacturing facility awarded 1st place in the coveted Korean Excellence In Manufacturing Award for 11 consecutive years (2006-2016).

The Delkor 60038 is designed to provide years of reliable, trouble free and maintenance free starting for a wide variety of European, Japanese, Australian and American vehicles, including many prestige and performance models.



Features and Benefits

- Proven Delkor quality
- Patented PowerFrame plate technology
- Calcium-Calcium maintenance-free
- Heat Sealed SMF casing
- Higher sustained output over life of the battery
- Stays charged longer when not in use
- Stays corrosion free
- Cleaner, low emission manufacturing process

| Applications | |
|--------------|---------------------------|
| Alfa Romeo | Landrover/ Range Rover |
| Aston Martin | |
| Audi | Mercedes Benz |
| BMW | |
| Chrysler | Nissan |
| Ford | Porsche |
| Holden | Renault |
| Jaguar | Volkswagon |
| Jeep | Volvo |

| Technical Specifications | | | |
|---------------------------------------|-------------------------|-------------------------------------|--|
| Battery Type: | Sealed Maintenance Free | Container Material / Colour: | Polypropylene / Black |
| Voltage: | 12v | Lid Type / Colour: | Sealed / Black |
| Capacity (@20hr rate): | 100 | Plate Type: | PowerFrame |
| Cold Cranking Amps -18°C, SAE: | 900 | Separator Type: | Low-Resistance Microporous Envelope |
| Cold Cranking Amps - 0°C SAE: | | Anti-Vibration: | Yes |
| Reserve Capacity: | 190 | Assembly Layout: | 0 (RH Positive) |
| Overall Dimensions: | L 354 x W 175 x H 190 | Terminal Type: | SAE |
| Wet Battery Weight: | 25 kg | BCI Group: | LN5/ DIN88H |