



Technical Specifications

Battery Type:	WETCHARGED BATTERY	Container Material / Colour:	Polypropylene / White
Voltage:	12 V	Lid Material / Colour:	Polypropylene / White
Capacity (@20hr rate):	135 Ah	Lid Type:	FLAT
Cold Cranking Amps -18°C, SAE:	900 A	Separator Type:	Envelope & Glass Mat
Cold Cranking Amps - 0°C SAE:	1000 A	Plate Type:	Silver Calcium MF
Reserve Capacity:	260 Min	Assembly Layout:	3 (LHP)
Overall Dimensions:	L 512 x W 188 x H 217	Terminal Type:	1 (SAE)
Wet Battery Weight:	35 Kg	Bottom Hold-downs:	None

DINAN120

Issue Date: 04/11/13

Technical Information &
Applications



The DINAN120 is a heavy duty starting battery designed specifically for European truck, buses & farm machinery.

- Built to cope with both high-current starting loads and heavy electrical accessory loads.
- Correct DIN (European) specifications & dimensions for fast, easy installation.
- Calcium-Calcium for maintenance-free operation in a servicable casing.
- Stronger full-frame plates with added silver for faster charge acceptance in vehicles with computerised “fuel-saver” charging systems.
- Combination Glass-Mat/Envelope Separators for longer life in high vibration and high cycle applications.



Applications

European Trucks, Tractors and Agricultural Machinery